

Ghasem-Aghae, N. and Ören, T.I. (2003 - In Press). Towards Fuzzy Agents with Dynamic Personality for Human Behavior Simulation, Proceedings of the 2003 Summer Computer Simulation Conference, Montreal, PQ, Canada, July 20-24, 2003, pp. 3-10

# Towards Fuzzy Agents with Dynamic Personality for Human Behavior Simulation

Nasser Ghasem-Aghaee  
Visiting Professor at the OC-MISS  
Department of Computer Engineering  
University of Isfahan, Isfahan  
aghaee@eng.ui.ac.ir

Tuncer I. Ören  
Ottawa Center of the McLeod Institute  
of Simulation Sciences (OC-MISS)  
SITE, University of Ottawa, Ottawa, ON, Canada  
oren@site.uottawa.ca

**Keywords:** Personality knowledge, fuzzy logic, fuzzy agents, agents with personality

## Abstract

In this article, the aim is define fuzzy agents with dynamic personality for the simulation of human behavior. Fuzzy sets are defined for personality traits and facets and the concise representation of personality knowledge is processed in fuzzy logic. This work is based on the personality knowledge as distilled from psychology [Ören and Ghasem-Aghaee 2003a].

## 1. INTRODUCTION

The term personality refers to the sets of predictable behaviors by which people are recognized and identified. These sets of behaviors go by the name of personality traits or factors. A contemporary view of traits considers in five dimensions, i.e., five-factor model of personality or the big five personality traits: (*Openness, Conscientiousness, Extraversion, Agreeableness, and Negative emotions*) and each has six *facets* [Costa and McCrae 1992, 1995, 2003; Howard 2000; Howard and Howard 2001a, b; Ören and Ghasem-Aghaee, 2003a].

*Fuzzy sets* and *fuzzy logic* are effective techniques for handling fuzzy uncertainties with well-developed mathematical properties. Imprecise concepts are attributes of which people generally have a cognitive perception, yet are impossible to define precisely like the five-factor personality model. Fuzzy logic provides an excellent way to represent and process linguistic variables. Possibly the biggest weakness of non-fuzzy methods of dealing with imprecision and uncertainty is their handling of linguistic terms. Fuzzy set theory provides a natural method for dealing with the linguistic terms by which an expert will describe a domain [Kandel and Hall 1991]. An increasing number of works now use fuzzy logic for implementing human behavior [El-Nasr et al. 2000; El-Nasr and Skubic 1998; Mitaim and Kosko 1998; Michaud 1997; Bonarini 1996; Li 1994].

*Linguistic variables* were introduced by Zadeh [1973] and this term is used to describe some concepts that

usually have vague or fuzzy values [Durkin 1994]. The linguistic terms *low, medium, high*, are assumed to be from the term set for a linguistic variable like *negative emotionality* of personality traits and are interpreted as fuzzy subsets of some universe  $U$  of negative emotionality. In fact, in modeling and simulation of human behavior, we are not restricted to just absolute quantifier that represents a crisp value like one or two, but we are also concerned with relative quantifier that represents a fuzzy value, such as low, medium, high, most, or some. Table 1 shows possible values of the values of the facets of one of the traits of the five-factor model. The other personality factors and their facets linguistic variables have similar typical values.

Table 1: Linguistic variables with typical values

Linguistic variables	Typical Values
Negative Emotionality	low, medium, high
Worry	low, medium, high
Anger	low, medium, high
Discouragement	low, medium, high
Self-consciousness	low, medium, high
Impulsiveness	low, medium, high
Vulnerability	low, medium, high

## 2. FUZZY LOGIC AND FUZZY SETS RELATED WITH PERSONALITY TRAITS

The term "*fuzzy logic*" emerged in the development of the theory of *fuzzy sets* by Lotfi Zadeh [1965]. He modified conventional set theory in which an individual could have a degree of membership which ranged over a continuum of values, rather than being either 0 or 1. The definition of the fuzzy logic formalism still relies on the conventional logic. *Fuzzy logic* is concerned with the reasoning about *fuzzy* events or concepts (like old, young, worry, angry, fear, and happy). Fuzzy sets and fuzzy logic possess far greater capabilities than their classical counterparts, their use considerably improves the bridge between mathematical models and the associate physical reality [Klir and Yuan 1998].

### 2.1 Fuzzy Sets and Fuzzy Set Operations

“Let X be the universe of discourse, with elements of X denoted as x. A *fuzzy set* A of X is characterized by a membership function  $\mu_A(x)$  that associates each element x with a degree of membership value in A.” [Durkin 1994].

$$\mu_A(x) : X \rightarrow [0, 1]$$

In fuzzy logic, event or element x is assigned a membership value by a membership function  $\mu$ . This value represents the degree to which element x belongs to fuzzy set A. For example, let us take the statement, “Mary is low worry,” if the degree of Mary low worry is 30, we might assign the statement the truth value of 0.5 or with fuzzy sets as:

$$\mu_{\text{low worry}}(\text{Mary}) = 0.5$$

The membership function  $\mu$  operates in this case on the fuzzy set of low worry people and returns a value between 0 and 1. The fuzzy terminology corresponds to “Mary’s degree of membership within the set of low worry people is 0.3. Determination of the value of a factor based on the values of the facets and definition of the membership functions that reasonably map the personality traits value into their corresponding belief values are very important. Fuzzy mapping or membership functions can have a variety of shapes depending on how the expert relates different domain values to belief values. “A convenient way of representing a fuzzy set is through the use of a vector” [Durkin 1994, p. 368] :

$$A = (a_1, a_2, \dots, a_n)$$

where,

$$A_i = \mu_A(x_i)$$

The vector includes the symbol “/” which associates the membership value  $a_i$  with its  $x_i$ :

$$A = (a_1/x_1, a_2/x_2, \dots, a_n/x_n)$$

As example, we may define the fuzzy sets low worry, medium worry and high worry of facet *worry* of the thirty facets of personality traits as follows; the fuzzy sets for the other facets can be defined similarly. We divide *worry* into ten degrees, and use three fuzzy sets to describe it: low, medium and high. Figure 1 graphically shows fuzzy sets on worry.

Low worry = (1.0/10, 1.0/20, 0.5/30, 0.0/40, 0.0/50, 0.0/60, 0.0/70, 0.0/80, 0.0/90, 0.0/100)

Medium worry = (0.0/10, 0.0/20, 0.0/30, 0.2/40, 1.0/50, 0.2/60, 0.0/70, 0.0/80, 0.0/90, 0.0/100)

High worry = (0.0/10, 0.0/20, 0.0/30, 0.0/40, 0.0/50, 0.0/60, 0.5/70, 1.0/80, 1.0/90, 1.0/100)




Figure 1: Fuzzy sets on worry

Another important feature of fuzzy systems is the ability to define ‘hedges’ (Table 2) or modifier of fuzzy values such as very, very very, somewhat, or indeed as follows [Durkin 1994, p. 369]:

Table 2. Hedges in fuzzy logic

hedges	values
very	$\mu_A(x)^2$
power (very very)	$\mu_A(x)^n$ where $n=3$
somewhat	$\mu_A(x)^{0.5}$
indeed	$2 * \mu_A(x)^2$ for $0 \leq \mu_A(x) \leq 0.5$ $1 - 2(1 - \mu_A(x))^2$ for $0.5 < \mu_A(x) \leq 1$

Therefore, as an example, for the facet worry, we can define very low worry, very very low worry, somewhat low worry, or indeed low worry. Although the logical operations NOT, AND, & OR from conventional Boolean logic also apply to fuzzy logic, the interpretations of these operations are slightly different as specified in Table 3.

Table 3. Fuzzy operators

AND (intersection)	$\text{Min}(\mu_A(x), \mu_B(x))$
OR (union)	$\text{Max}(\mu_A(x), \mu_B(x))$
NOT (complement)	$1 - \mu_A(x)$

## 2.2 Fuzzy Inference

“Rule based inference systems are too rigid in decision development, while fuzzy based inference provides a range of all possible decisions depending upon the ‘soft’ composition of several fuzzy variables” [Pitts 2002].

The general *fuzzy inference* process includes the following:

1. Under fuzzification, the membership functions defined on the input variables are applied to their actual values, to determine the degree of truth for each rule premise.
2. A *knowledge base* is the collection of the expert control rules (knowledge) needed to achieve the

control goal. The knowledge base usually is expressed as a number of 'IF-THEN' rules based on the domain expert's knowledge.

3. A *fuzzy reasoning* mechanism which performs various fuzzy logic operations to infer the control action for the given fuzzy inputs.
4. Under defuzzification, if the conclusions of the fuzzy rule set are fuzzy subsets themselves, then it is necessary to translate these subsets into a crisp number before the results can be used in practice.

Inference from a set of fuzzy rules involves fuzzification of the conditions of the rules, then propagating the confidence factors (membership values) of the conditions to the conclusions (outcomes) of the rules.

### 3. FUZZY KNOWLEDGE TO REPRESENT PERSONALITY

Zadeh [1975] has pointed out the *incompatibility principle*, which states that "complexity and precision are incompatible properties. Thus the conventional numerical-based approaches are inadequate to model human knowledge in complex processes," like human personality traits. Sophisticated knowledge and rich human experience can be incorporated into the *fuzzy knowledge base* in an almost natural language [Yan et. al. 1994]. The rules would depend on the application. In the sequel, the knowledge in Tables 1-5 of Ören and Ghasem-Aghaee [2003a] is used. As an example, we represent the knowledge associated with *Openness*. In Table 4, -, =, +, means low, medium and high and an additional column gives the personality descriptors.

Table 4. Personality facets

facets	value	Personality descriptor
fantasy	-	focuses on here and now
	=	occasionally imaginative
	+	imaginative daydreams
aesthetics	-	uninterested in art
	=	moderate interest in art
	+	appreciates art and beauty
feelings	-	ignores and discounts feelings
	=	accepts feelings
	+	values all emotions
actions	-	prefers the familiar
	=	a mixture of preference of the familiar and the new
	+	prefers variety tries new things
ideas	-	narrower intellectual focus
	=	moderate curiosity
	+	broad intellectual curiosity

values	-	dogmatic
		conservative
	=	moderate
	+	open to new values open to reexamining values

In the rules, the personality descriptors can be specified as di\_”facet” where i is one of the letters (O, C, E, A, N) to indicate which personality factor, the personality facet is associated with; “facet” is the name of the facet. Examples: dC\_order, dE\_positive\_emotions.

The rules about personalities can then be generated as follows:

**1<sup>st</sup> group:** Rules to represent *personality descriptors* based on the values of the facets of each personality factor. Some examples from each personality factor follow:

*Openness:*

IF fantasy is low  
THEN dO\_fantasy is **focuses\_on\_here\_and\_now**.

IF fantasy is medium  
THEN dO\_fantasy is **occasionally\_imaginative**.

IF fantasy is high  
THEN dO\_fantasy is **imaginative**.

*Conscientiousness:*

IF order is low  
THEN dC\_order is **unorganized**.

IF order is medium  
THEN dC\_order is **half\_organized**.

IF order is high  
THEN dC\_order is **well\_organized**.

*Extraversion:*

IF warmth is low  
THEN dE\_warmth is **reserved**.

IF warmth is medium  
THEN dE\_warmth is **attentive**.

IF warmth is high  
THEN dE\_warmth is **friendly**.

*Agreeableness:*

IF trust is low  
THEN dA\_trust is **skeptical**.

IF trust is medium  
THEN dA\_trust is **cautious**.

IF trust is high

THEN dA\_trust is **see\_other\_as\_honest**.

*Negative emotionality:*

IF worry is low  
THEN dN\_worry is **calm**.

IF worry is medium  
THEN dN\_worry is **worried\_calm**.

IF worry is high  
THEN dN\_worry is **worried**.

IF anger is low  
THEN dN\_anger is **composed**.

IF anger is medium  
THEN dN\_anger is **some\_anger**.

IF anger is high  
THEN dN\_anger is **quick\_to\_feel\_anger**.

**2<sup>nd</sup> group:** Rules to represent the value of the *personality factors* based on the values of its facets

IF fantasy is low  
AND aesthetics is low  
AND feeling is low  
AND actions is low  
AND ideas is low  
AND values is low  
THEN openness is **preserver**.

Here in addition to assert that the openness is preserver, one could also express the degree of preserver and accordingly its membership value.

IF fantasy is medium  
AND aesthetics is medium  
AND feeling is medium  
AND actions is medium  
AND ideas is medium  
AND values is medium  
THEN openness is **moderate**.

IF fantasy is high  
AND aesthetics is high  
AND feeling is high  
AND actions is high  
AND ideas is high  
AND values is high  
THEN openness is **explorer**.

Similar rules for conscientiousness, extraversion, agreeableness, and negative emotionality are possible.

A more general way to determine the value of a trait is to consider the degree (value) of a trait, which is the degree (value) of the current dominant facet. The degree of a facet is its weighted value (equal to the product of its measured value by its weight factor as determined from factor analysis). This way of determination also covers the special cases where all facets have same values.

El-Nasr and Skubic [1998] also propose that the agent acts on the emotion with the highest intensity and Gadanho and Hallam [1998] use the current dominant emotion.

As an example for the determination of the value of a trait from the dominant values of its facets, let's consider the weighted values of the facets as follows: Low<45, 45<=medium<=55, high>=55). Then the fuzzy rule follows:

			degree*
IF	fantasy	is low	20
OR	aesthetics	is medium	50
OR	feeling	is high	80
OR	actions	is low	20
OR	idea	is high	90
OR	values	is high	85
THEN	openness	is high	90

IF	worry	is low	10
OR	anger	is medium	50
OR	discouragement	is high	80
OR	self-consciousness	is low	20
OR	impulsiveness	is low	10
OR	vulnerability	is medium	55
THEN	negative emotionality	is high	80

\* degree is given for descriptive purposes and is not included in the current version of the rules. For example, openness is high with a degree of 90 can be translated that openness is preserver with a degree of 90.

**3<sup>rd</sup> group:** Representation of *compound personality characteristics*; some examples follow:

The following abbreviations are used to represent personality characteristics:

c\_style: conflict style.  
d\_style: decision style.  
l\_style: learning style.  
ls\_style: leadership style.  
ps\_style: problem solving style.

The following rules are gleaned from psychology literature. To each rule, one can associate the degrees and fuzzy sets which can then be used in specifying the membership values.

IF openness is low  
AND conscientiousness is low  
THEN ps\_style is **generator**.

IF openness is low  
AND conscientiousness is high  
THEN ps\_style is **implementer**.

IF extraversion is high

AND negative emotion is low  
THEN l\_style is **independent**

IF openness is high  
AND agreeableness is low  
THEN ls\_style is **visionary**.

IF conscientiousness is medium  
AND extraversion is high  
AND agreeableness is medium  
AND negative emotion is medium  
THEN c\_style is **negotiator**.

IF conscientiousness is low  
AND agreeableness is medium  
AND negative emotion is low  
THEN d\_style is **diplomat**.

**4<sup>th</sup> group:** Personality is a pattern of behavioral, temperamental, emotional, and mental traits that distinguish people from one another. Behavior can change through adaptive processes [Allbeck and Badler 2002]. From the terms in the Table given by Howard [2000, p. 364], we can generate the following emotional rules about the **personality modifications** (PT: abbreviation for personality trait):

IF emotional\_state is fear  
THEN PT\_expression is **timid**.

IF emotional\_state is anger  
THEN PT\_expression is **quarrelsome**.

IF emotional\_state is joy  
THEN PT\_expression is **affectionate**.

IF emotional\_state is sadness  
THEN PT\_expression is **gloomy**.

IF emotional\_state is acceptance  
THEN PT\_expression is **trusting**.

IF emotional\_state is disgust  
THEN PT\_expression is **hostile**.

IF emotional\_state is expectation  
THEN PT\_expression is **demanding**.

IF emotional\_state is surprise  
THEN PT\_expression is **indecisive**.

From the terms in the table [Howard 2000, p. 364], we can generate the following rules about the **behavioral approach to emotions**.

IF emotional\_state is fear  
THEN behavioral\_expression is **withdraw**.

IF emotional\_state is anger  
THEN behavioral\_expression is **attack**.

IF emotional\_state is joy  
THEN behavioral\_expression is **mate**

IF emotional\_state is sadness  
THEN behavioral\_expression is **distress signal**.

IF emotional\_state is expectation  
THEN behavioral\_expression is **examine**.

IF emotional\_state is surprise  
THEN behavioral\_expression is **freeze**.

**Personality changes over time** - From age 20 to age 30, negative emotionality, extraversion, and openness tend to decrease, while agreeableness and conscientiousness tend to increase [Howard and Howard 2001a, p.17]. Another way of saying this is that as we enter adulthood and the world of work, we become more emotionally stable, somewhat less sociable, a little more conservative, a little easier to get along with, and a little more goal-oriented [Howard 2000, p.439].

IF PT\_agreeableness is low  
THEN behavioral\_expression is **challenger**.

IF PT\_conscientiousness is low  
THEN behavioral\_expression is **flexible**.

#### 4. FUZZY AGENTS WITH PERSONALITY

An important aspect of modeling human behavior is to take into account dynamic personality. When at least any one of the 30 facets changes its value, the personality is affected and the model should be updated, i.e., the personality should be re-evaluated. This corresponds to a discontinuity and model update. For a generalized view and implications of discontinuity and model update see Ören [1987, 1991]. "In addition for the classic properties of agents, like autonomy, social ability, reactivity and pro-activeness, some researches consider that an agent is either conceptualized or implemented using characteristics usually applied to human-like entities [Bates 1994; Shoham 1993]. A way of giving agents human-like attributes in a computational system is to take accounts the incertitude of theirs beliefs. In this case, the use of the theory of fuzzy sets [Zadeh 1965] is appropriated to model the agent intentional system according with the environment possibilities." [Campos and Hill 1998].

Some definitions follow:

**Agents:** Agents are autonomous software modules with perception and social ability to perform goal-directed knowledge processing, over time, on behalf of humans or other agents in software and physical environments.

The knowledge processing abilities of agents include: reasoning, motivation, planning, and decision making. Additional abilities of agents are needed to make them intelligent and trustworthy. Abilities to make agents intelligent include anticipation, understanding, learning, and communication in natural language. Abilities to make agents more trustworthy as well as assuring the sustainability of agent societies include being rational, responsible, and accountable. These lead to rationality, skillfulness and morality (e.g., ethical agent, moral agent).

**Fuzzy agents** are agents that can perform qualitative uncertainty reasoning with *incomplete and fuzzy knowledge* in some environment that contains linguistic variables.

**Agents with personality** are fuzzy agents with characteristics such as openness, conscientiousness, extraversion, agreeableness, and negative emotions in line with the five-factor personality theories to model human behavior.

**Agents with dynamic personality** are fuzzy agents with personality where personality knowledge is updateable.

Figure 2 shows highlights of a framework for agents with personality.

## 5. DECISION MAKING WITH FUZZY AGENTS REPRESENTING INTELLIGENT ENTITIES

El-Nasr, et al. [2000] describe fuzzy logic adaptive model of emotions. The model uses a fuzzy-logic representation to map events and observations to emotional states and from emotions to behaviors. Emotion models are important in human decision making. El-Nasr and Skubic [1998] present a fuzzy emotional agent for decision-making in a mobile robot. They present fuzzy logic model to capture the inherent uncertainty of emotion. Their model deals with three negative emotions: fear, pain, and anger. Rousseau and Hayes-Roth [1997] proposed a social- psychological model that enables an author to define a character's personality influenced by moods and interpersonal relationships. In the research area of human social behavior, Martinez-Miranda and Aldea [2002] provide a social agent model to simulate human behavior in teamwork. They use multi-agent system to simulate the expected behavior in a teamwork.




Figure 2. Highlights of a framework for agents with personality

Urban and Schmidt [2001] present a model called PECS (Physic, Emotion, Cognition, Social Status) to simulate human behavior. The goal of Bazzan and Bordini [2001] is to develop a framework for the modeling and simulation of agents with emotions. Their study allows the design of such agents, which interact with neighbors or their social groups. Also, a detailed description of a computational framework for emotion-based control can be found in Velásquez [1997, 1999].

In multi-agent simulation a new paradigm with high potential can be modeled: agents can be taken as equipped with more sophisticated behavior and enabled with methods of adaptation, in comparison with process-oriented models [Adamatti and Bazzan 2002]. Bates [1994] proposed the role of emotion in believable agents. Bates examines the notion of producing believable agents based on how animation artists have attempted to make their characters more believable. A complete functioning agent, whether biological, or simulated in software, or implemented in the form of a robot, needs an integrated collection of diverse but interrelated capabilities, i.e., an architecture [Sloman, 1997]. The authors are elaborating on, in another article, a functional decomposition for intelligent agents with personality [Ören and Ghasem-Aghaee 2003b].

## 5. CONCLUSIONS:

In this article, the personality knowledge as specified by thirty facets clustered in five traits of the current personality theory is used as a basis to represent the behavior of fuzzy agents. The modifications of the values of personality facets can be used to re-evaluate the personality knowledge of an agent to allow personality updates and hence representation of dynamic personality. Once, such a discontinuity is processed, the behavior of the fuzzy agent can be based on the updated personality.

## ACKNOWLEDGMENT:

This article and several other publications are based on research done by the authors while one of the authors was spending his sabbatical leave –from the University of Isfahan, Iran– at the Ottawa Center of the McLeod Institute for Simulation Sciences at the School of Information Technology and Engineering of the University of Ottawa. The authors would also like to thank to the anonymous referees for their valuable comments.

## REFERENCES

- Adamatti, D.F., Bazzan, A.L. (2002). "A Framework for Simulation of Agents with Emotions," <http://www.inf.ufrgs.br/~adamatti/pag/ingles/Workcomp2.pdf>
- Allbeck, J., Badler, N. (2002). "Toward Representing Agent Behaviors Modified by Personality and Emotion," *Embodied Conversational Agents at AAMAS'02*, July 15-19, Bologna, Italy.
- Bates, J. (1994). "The Role of Emotion in Believable Agents," *Communications of the ACM*, Vol. 37, No 7, pp. 122-125.
- Bazzan, A.L.C., Bordini, R.H. (2001). "A Framework for the Simulation of Agents with Emotions. Report on Experiment with the Iterated Prisoners Dilemma." In: *Proc. of the Int. Conf. on Autonomous Agents*, Montreal, Canada pp. 292-299. ACM press.
- Bonarini, A. (1996). "Reinforcement Learning of Hierarchical Fuzzy Behaviors for Autonomous Agents," *Proc. IPMU*, pp. 1223-1228.
- Campos, A.M.C., Hill, D.R.C. (1998). "Web-Based Simulation of Agent Behaviors," <http://www.isima.fr/ecosim/agent/abstract.html>.
- Costa, P.T., Jr., McCrae, R.R. (1992). "NEO PI-R Professional Manual," Odessa, Fla: Psychological Assessment Resources.
- Costa, P.T., Jr., McCrae, R.R. (1995). "Domains and Facets: Hierarchical Personality Assessment Using the Revised NEO Personality Inventory," *Journal of Personality Assessment*, 64, 21-50.
- Costa, P.T., Jr., McCrae, R.R. (2003). PAR – Psychological Assessment Resources, Inc., <http://www.parinc.com/product.cfm?ProductID=222>
- Durkin, J. (1994). *Expert Systems – Design and Development*. Prentice Hall International, Inc.
- El-Nasr, M.S., Skubic, M. (1998). "A Fuzzy Emotional Agent for Decision-Making in a Mobile Robot," *Proc. of FUZZ – IEEE '98 Alaska*, [www.cecs.missouri.edu/~skubic/Papers/fuzzieee.pdf](http://www.cecs.missouri.edu/~skubic/Papers/fuzzieee.pdf)

- El-Nasr M. S.; Yen J.; and Ioerger T.R. (2000) "FLAME-Fuzzy Logic Adaptive Model of Emotions" *Autonomous Agents and Multi-Agent Systems*, 2000 Kluwer Academic Publishers Netherlands, 219-257, <http://ist.psu.edu/yen/publications/FLAM.doc>
- Gadanho, S.C., Hallam, J. (2000). "Emotion-Triggered Learning in Autonomous Robot Control," University of Edinburg, <http://www.isr.ist.utl.pt/~sandra>
- Howard, J. (2000). *The Owner's Manual for the Brain, Everyday Applications from Mind-Brain Research*, Second Edition, Brad Press, Atlanta, U.S.A., [www.bradpress.com](http://www.bradpress.com)
- Howard, P.J., Howard, J.M. (2001a). "The BIG FIVE Quickstart: An Introduction to the Five-Factor Model of Personality for Human Resource Professionals, Center for Applied Cognitive Studies (CentACS)," Charlotte, North Carolina, [www.centacs.com/quickstart.htm](http://www.centacs.com/quickstart.htm)
- Howard, P.J., Howard, J.M. (2001b). *The Owner's Manual for Personality at Work*, Austin, Texas, Bard Press, January 2001, <http://www.centacs.com/book-ompw.htm>.
- Kandel, A., Hall, L.O. (1991). "The Evaluation from Expert Systems to Fuzzy Expert Systems," *Fuzzy Expert Systems*, Kandel, A. (ed.), CRC Press, 1991, p.19.
- Klir, G, Yuan, B. (1998). "Basic Concepts and History of Fuzzy Set Theory and Fuzzy Logic," Ruspini, E.H., Bonissone, P.P., Pedrycz, W. (eds.), *Handbook of Fuzzy Computation*, 1:9, pp. A1. Institute of Physics Publishing, Bristol and Philadelphia.
- Li, W. (1994). "Fuzzy Logic-Based Perception-Action Behavior Control of a Mobile Robot in Uncertain Environments," *Proc. IEEE Int'l Conf. on Fuzzy Systems*, pp. 1626-1631.
- McCrae, R. R. (2002). Cross-Cultural Research on the Five-Factor Model of Personality, <http://www.ac.wvu.edu/~culture/mccrae.htm>
- Martines-Miranda J., Aldea A. (2002) "A Social Agent Model to Simulate Human Behavior in Teamwork", *3<sup>rd</sup> Workshop on Agent-Based Simulation*, Passau, Germany.
- Michaud, F. (1997). "Selecting Behaviors Using Fuzzy Logic," *IEEE Int'l Conf. on Fuzzy Systems*, Barcelona, Spain.
- Mitaim, S., Kosko, B. (1998). "Neural Fuzzy Agents for Profile Learning and Adaptive Object Matching," *Presence*, 7:6 (Dec. 1998), 617-637.
- Ören, T.I. (1987). "Model Update: A Model Specification Formalism with a Generalized View of Discontinuity." *Proceedings of the Summer Computer Simulation Conference*, Montreal, Quebec, Canada, pp. 689-694.
- Ören, T.I. (1991). "Dynamic Templates and Semantic Rules for Simulation Advisors and Certifiers." *Knowledge-Based Simulation: Methodology and Application*, P.A. Fishwick and R.B. Modjeski (Eds). Springer-Verlag, Berlin, Heidelberg, New York, Tokyo, 53-76.
- Ören, T.I., Ghasem-Aghae, N. (2003a). "Personality Representation Processable in Fuzzy Logic for Human Behavior Simulation," *Proceedings of the 2003 Summer Simulation Conference*, Montreal, PQ., Canada.
- Ören, T.I., Ghasem-Aghae, N. (2003b – In Preparation). "A Functional Decomposition of Intelligent Agents with Personality."
- Pitts, G.N. (2002). Research Project: A Fuzzy Logic Inference Engine for Simulation-Based ITS,



[http://www.cs.trinity.edu/Main\\_Attractions/The\\_Virtual\\_Reality\\_Project/prj2.html](http://www.cs.trinity.edu/Main_Attractions/The_Virtual_Reality_Project/prj2.html)

- Rousseau D.; and Hayes-Roth B. (1997) "Improvisational Synthetic Actors with Flexible Personalities" Research Report KSL 97-10 Knowledge Systems Laboratory, Stanford University.
- Shoham, Y. (1993). "Agent Oriented Programming," *Artificial Intelligence*, 60:1, 51-92.
- Sloman, A. (1997). "What sort of Architecture is Required for a Human-like Agent?," M Wooldridge and A. Rao (eds.) *Foundations of Rational Agency*, Kluwer Academic Publishers, <http://www.cs.bham.ac.uk/~axs>
- Urban Ch.; and Schmidt B. (2001) "Agent-Based Modeling of Human Behavior" *Emotional and Intelligent – The Tangled Knot of Social Cognition*, AAAI Fall Symposium Series, North Falmouth, MA.
- Velásquez, J.D. (1997). "Modeling Emotion and Other Motivations in Synthetic Agents," *Proceedings of AAAI-97*.
- Velásquez, J.D. (1999). "From Affect Programs to Higher Cognitive Emotions: An Emotion-Based Control Approach," *Online Proceedings of the Workshop on Emotion-Based Agent Architectures (EBAA '99)*.
- Yan, J., Ryan, M., Power, J. (1994). *Using Fuzzy Logic, Towards Intelligent Systems*, Prentice Hall, 1994, p.29.
- Zadeh, L. A. (1965). « Fuzzy Sets," *Information and Control* 8:3, 338-353
- Zadeh, L.A. (1973). "Outline of a New Approach to the Analysis of Complex Systems and Decision Processes," *IEEE Trans. Syst. Man Cybernetics*, SMC-3 pp. 28-44.
- Zadeh, L.A. (1975). "The Concept of a Linguistic Variable and Its Applications to Approximate Reasoning," *Information Sci.* 8.

## BIOGRAPHIES

**Nasser Ghasem-Aghaee** is a co-founder of Sheikhabaee Institute of Higher Education in Isfahan, Iran as well as Associate Professor in the Department of Computer Engineering both at the Isfahan University and Sheikhabaee Institute. In 1993-1994 and 2002-

2003, he has been visiting Professor at the Ottawa Center of the McLeod Institute for Simulation Sciences at the School of Information Technology and Engineering at the University of Ottawa. He has been active in simulation since 1984. His research interests are modeling and simulation, artificial intelligence, fuzzy logic, object-oriented analysis, software agents and their applications. He published more than 50 documents in Journals and Conferences.

**Dr. Ören** is a professor emeritus of computer science at the School of Information Technology and Engineering of the University of Ottawa (Canada). He has extensively contributed to the advancement of the state-of-the art in simulation methodology; the synergy of simulation, system theories and cybernetics, artificial intelligence, and software engineering; the reliability issues on modelling and simulation; and ethics in simulation. *Publications*: over 325. Contributions in about 300 conferences and seminars held in 27 countries. During 1996-2001 was active in several NATO M&S committees and groups. Invitations from United Nations; sponsorship from NATO; and fellowships, scholarships, or sponsorships in 11 countries. Over 20 Who's Who citations. *Awards*: "Recognition of Service Award" from ACM (In recognition for his contribution to the Association for Computing Machinery as SIGSIM Chair, 1982-83); "Information Age Award" -from the Turkish Ministry of Culture (1991); "Scientist of the Year Award in 1996 in Gebze," Turkey (1997); and "Successful Projects of 1998 Award" Marmara Research Center, Turkey (1999). He is currently a member of the Board and an Associate Vice President for ethics of SCS as well as the Director of the McLeod Institute of Simulation Sciences (MISS) and the Director of the Ottawa Center of the MISS Network.

<http://www.site.uottawa.ca/~oren/>