

## ITI 1120 Lab #11


Contents:

### Arrays of Objects

Old CSI 1100 exam, and how to do it!

## Note

- This lab is a continuation of the exercise presented in the previous lab. Assume the `ParkingPlace` class in this lab is given.



## ParkingPlace - Methods

- `ParkingPlace()` : constructor without parameters that constructs a parking place that is initially free;
- `String toString()` : that returns "-----" if the parking place is free, and the licence plate of the car, if the parking place is occupied;
- `void carArrives(String plate, int hour, int minutes)` : modifies the state of the parking place by setting it to occupied, sets the plate of the car that occupies the place to `plate`, and sets the time since when it is occupied to `hour` and `minutes`; if the parking place is already occupied, the method does nothing;
- `void carLeaves()` : modifies the state of the parking place by setting it to free;
- `boolean free()` : returns `true` if the parking place is free, `false` otherwise;
- `String getCar()` : returns the plate of the car that occupies the parking place, if the place is occupied, `null` otherwise;
- `int getHour()` : returns the hour since when the parking place is occupied, if the place is occupied, `-1` otherwise;
- `int getMinutes()` : returns the minutes since when the parking place is occupied, if the place is occupied, `-1` otherwise;

## Exercise 1

- Write a class `UseParkingPlace` that contains various public static methods that are clients of `ParkingPlace`. In the description of all methods below, we assume that a parking lot is always represented as an array of parking places. The class should contain the following methods:
  - `static int firstFreePlace(ParkingPlace[] p)` : that, given a parking lot `p`, returns the index of the first free parking place in `p`;
  - `static int countFreePlaces(ParkingPlace[] p)` : that, given a parking lot `p`, returns the number of free parking places in `p`;
  - `static int[] freePlaces(ParkingPlace[] p)` : that, given a parking lot `p`, returns an array of integers containing the indices of all free parking places in `p`;
  - `static void carEnters(ParkingPlace[] p, String a, int hour, int minutes)` : that, given a parking lot `p`, modifies the array `p` by inserting the car `a` (represented by its plate) in the first free parking place available in `p`, assigning hour and minutes as arrival time; if there is no free parking place in `p`, the method does nothing;

## Exercise 1 (Con'd)

- static void carExits(ParkingPlace[] p, String a) : that, given a parking lot p, modifies the array p by freeing the parking place where the car a is parked; if the car a is not present in the parking lot, the method does nothing;
- static int longestParkedCar(ParkingPlace[] p) : that, given a parking lot p, returns the index of the parking place in which the longest parked car is present; if there is more than one such car, the method should return one of the indexes (chosen arbitrarily); if there is no car parked in the parking lot, the method should return -1;
- static String[] allParkedCars(ParkingPlace[] p) : that, given a parking lot p, returns an array of strings that represent the plates of all cars present in p;

## Exercise 2

Realize a class ParkingLot to represent parking lots, and whose objects support the same functionalities as those implemented in UseParkingPlace through static methods. The class should export also a constructor that takes as parameter a positive integer n and constructs a parking lot with n parking places that initially are all empty.

## Solutions to old exam

### Question 1A [4]

- Environment Canada will report a humidex value as part of a weather forecast if the temperature (T) is greater than or equal to 30 degrees, if the temperature is greater than or equal to 25 degrees and the humidity (H) is greater than 35%, or the temperature is greater than or equal to 20 degrees and the humidity is greater than or equal to 65%.
- Write a Boolean expression that is true if Environment Canada will report a humidex value, and false otherwise.

### Question 1A

- Environment Canada will report a humidex value as part of a weather forecast if the temperature (T) is greater than or equal to 30 degrees, if the temperature is greater than or equal to 25 degrees and the humidity (H) is greater than 35%, or the temperature is greater than or equal to 20 degrees and the humidity is greater than or equal to 65%.

- Answer:

$T \geq 30$  OR  $(T \geq 25$  AND  $H > 35)$  OR  $(T \geq 20$  AND  $H \geq 65)$

## Question 1B [4]

- Consider the following Java program :



```

MyClass[] obj;
int index;
obj = new MyClass[2];
index = 15;
while( index > 2 )
{
    obj[index % 2] = new MyClass( );
    index = index / 2;
}
// Line x




```

- How many instances of **MyClass** are created during the execution of this program? [2]
- How many instances of **MyClass** are still accessible at **Line x**? [2]

## Question 1B

	obj	index	# objects
Initial values	?	?	
<code>obj = new MyClass[2];</code>			
<code>index = 15;</code>		15	
<code>while( index &gt; 2 ) : true</code>			
<code>obj[index % 2] = new MyClass( );</code>			1
<code>index = index / 2;</code>		7	
<code>while( index &gt; 2 ) : true</code>			

## Question 1B

	obj	index	# objects
From previous page		7	1
<code>obj[index % 2] = new MyClass( );</code>			2
<code>index = index / 2;</code>		3	
<code>while( index &gt; 2 ) : true</code>			
<code>obj[index % 2] = new MyClass( );</code>			3
<code>index = index / 2;</code>		1	
<code>while( index &gt; 2 ) : false</code>			

Number of objects created: 3

Number still accessible: 1

## Question 1C [4]

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

- Suppose that the following instructions are used in the `main()` method in a class `Test`. Each choice should be considered **independently** - as if it were in its own `main()` method. Circle the letter of the statement which causes a compilation error.

- (a) `Foo[] a = new Foo[5];`  
`a[4] = new Foo(-1);`
- (b) `Foo f = Bar.x7();`
- (c) `Foo.x2 = Bar.x6();`
- (d) `int k = Foo.x3.x5;`
- (e) `Bar b = new Bar();`  
`Foo f = b.x7();`

## Question 1C

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

a) OK

`Foo[] a = new Foo[5];` Declare and create an array of 5 **Foo** object references. The references are all **null**.

`a[4] = new Foo(-1);` There is a public **Foo** constructor with 1 integer parameter.

## Question 1C

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

b) Compile error

`Foo f = Bar.x7();` The method `x7()` in the **Bar** class does not have the keyword **static**, so it is an instance method. Instance methods cannot be called using the class name.

## Question 1C

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

c) OK

```
Foo.x2 = Bar.x6();
```

The method `x6()` in the `Bar` class is **public, static**, and returns a value of type **int**. Because of the **static** keyword, the method can be called via the class name.

The value `x2` in the `Foo` class is **public, static**, and of type **int**. Since the value is **static**, it is a class variable, and since it is **public**, it can be accessed outside the class.

## Question 1C

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

d) OK

```
int k = Foo.x3.x5
```

The value `x3` in the `Foo` class is **public, static**, and of type `Bar`. Because the value is **public**, `x3` can be accessed outside the class, and because it is **static**, it can be accessed via the class name.

In the class `Bar`, the value `x5` is **public** and of type **int**. Therefore, `x5` can be accessed from outside of the class, and assigned to a variable of type **int**.

## Question 1C

```

class Foo
{
    private int x1;
    public static int x2;
    public static Bar x3;

    public Foo(int x4)
    {
        ...
    }
}

class Bar
{
    public int x5;
    public static int x6()
    {
        ...
    }

    public Foo x7()
    {
        ...
    }
}

```

e) OK

```
Bar b = new Bar();
```

Declare and create a new `Bar()` object. The invisible default constructor is used, since no constructors are defined.

```
Foo f = b.x7();
```

Method `x7()` is a `public` instance method, so it can be called on a `Bar` object. It returns an object of type `Foo`, which can be assigned to `f`.

## Question 2 [8]

```

class Football
{
    public static void main(String[] args)
    {
        char[] t = {'G', 'e', 'e', '-', 'G', 'e', 'e'};
        Rec(t, t.length - 1);
    }

    public static void Rec(char[] var, int i)
    {
        if (i < 0)
        { ; // do nothing
        }
        else
        {
            if ( (var[i] > 'A') && (var[i] < 'Z') )
            {
                System.out.print( (char) (var[i] - 'A' + 'a') );
            }
            else
            {
                if ( (var[i] > 'a') && (var[i] < 'z') )
                {
                    System.out.print( (char) (var[i] - 'a' + 'A') );
                }
                else
                { ; // do nothing
                }
            }
            Rec(var, i - 1);
        }
    }
}

```

- Here is a program that uses recursion.

- What is printed by this program?

## Question 2

- Let's look at various parts of the program:

```
if ( (var[i] > 'A') && (var[i] < 'Z') )
{
    System.out.print( (char) (var[i] - 'A' + 'a') );
}
```

- The above will take any upper case letter (except for 'A' and 'Z') at index **i** in the array **var**, convert it to lower case, and display the character on the console.

## Question 2

```
if ( (var[i] > 'a') && (var[i] < 'z') )
{
    System.out.print( (char) (var[i] - 'a' + 'A') );
}
```

- The above will take any lower case letter (except for 'a' and 'z') at index **i** in the array **var**, convert it to upper case, and display the character on the console.

## Question 2

```

class Football
{
    public static void main(String[ ] args)
    {
        char[] t = {'G', 'e', 'e', '-', 'G', 'e', 'e'};
        Rec(t, t.length - 1);
    }

    public static void Rec(char[] var, int i)
    {
        if (i < 0)
        {
            ; // do nothing
        }
        else
        {
            // if var[i] is upper case, convert to lower case and print it
            // else if var[i] is lower case, convert to upper case and print it
            // else do nothing

            Rec(var, i - 1);
        }
    }
}

```

## Question 2

```

public static void Rec(char[] var, int i)
{
    if (i < 0)                // Recursion base case
    {
        ; // do nothing
    }
    else
    {
        // do stuff with var[i]

        Rec(var, i - 1);      // Recursive call
    }
}

```

- The above will go through the array `var` in the backwards direction; that is, the index `i` will be decreasing down to `0`.

## Question 2

```
public static void main(String[] args)
{
    char[] t = {'G', 'e', 'e', '-', 'G', 'e', 'e'};
    Rec(t, t.length - 1);
}
```

- The method **Rec** will start from the end of the array **t**, change the case of each letter (ignoring non-letter characters), and print it.
- The result: **EEgEEg**
- Irrelevant side remark: Did you see why the class was called "Football"? ☺

## Question 3 [15]

- Translate the following algorithm to a Java method:

### GIVENS:

Base: (a logarithm base, known to be > 0)  
 Operand: (an array of integers for which to find the integer logarithm)  
 N (the number of values in array Operand)

### RESULT:


IntLog: (an array of N integer logarithms for the values in array Operand; a value of -1 is returned if the logarithm does not exist)

### INTERMEDIATES:

Index (array index)  
 Value (used for repeated divisions)  
 Count (counts number of times an operand can be divided by base)

HEADER: IntLog ← Logarithms( Base, Operand, N )

### Question 3



### Question 3

```

public static int[] logarithms( int base, int[] operand, int n)
{
    int intlog;    // RESULT: An array of logarithms for the values in operand
    int index;
    int value;
    int count;

    index = 0;
    intlog = new int[n];
    while ( index < n )
    {
        if ( operand[index] > 0 )
        {
            value = operand[index];
            count = 0;
            while ( value >= base )
            {
                value = value / base;
                count = count + 1;
            }
            intlog[index] = count;
        }
        else
        {
            intlog[index] = -1;
        }
        index = index + 1;
    }
    return intlog;
}

```

## Question 4 [15]

- Olympic 10 metre platform diving events are scored as follows. Each judge watches an athlete's dive, and then submits a score for the dive (out of 10). The dive is also previously assigned a "degree of difficulty" (DD) based on the complexity of the particular dive (example: forward 2 1/2 somersault in the tuck position has DD = 2.7). The highest and lowest scores are discarded, and the remaining scores are added together and then multiplied by the degree of difficulty to determine the total dive score.
- Write an algorithm that will compute an athlete's total dive score from an array of scores submitted by N judges, for a dive of degree of difficulty DD.

## Question 4

### GIVENS:

Scores	(An array of judges' scores)
N	(The length of array Scores)
DD	(Dive's degree of difficulty)

### RESULT:

Final	(The diver's final score)
-------	---------------------------


### INTERMEDIATES:

Index	(Index for array Scores)
Sum	(Sum of values in array Scores)
Max	(Maximum score)
Min	(Minimum score)

### HEADER:

Final ← DetermineFinalScore( Scores, N, DD )

### Question 4



### Question 5 [15]

- The lower right sub-matrix of a matrix is formed by selecting one element position (row and column) and excluding all elements that are to the left or above the selected element. For example, in the matrix  $M$  below, if we select  $M_{11} = 5$ , the matrix  $S$  is the lower right sub-matrix.

$$M = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$

$$S = \begin{bmatrix} 5 & 6 \\ 8 & 9 \end{bmatrix}$$

- Write a Java method that will take a matrix of integers  $M$ , and a row and column index, and returns a new matrix that is the lower right sub-matrix of  $M$  formed from that position. The header of the method is as follows:

```
public static int[][] subMatrix( int[][] m, int theRow, int theCol )
```

## Question 5

```

public static int[][] submatrix( int[][] m, int theRow, int theCol )
{
    int[][] s;    // RESULT: the submatrix of matrix m
    int sRows;   // INTERMEDIATE : number of rows in s
    int sCols;   // INTERMEDIATE : number of columns in s
    int row;     // INTERMEDIATE: index for row position in s
    int col;     // INTERMEDIATE: index for column position in s

    sRows = m.length - theRow;
    sCols = m[0].length - theCol;

    s = new int[sRows][sCols];
    for ( row = 0; row < sRows; row = row + 1 )
    {
        for ( col = 0; col < sCols; col = col + 1 )
        {
            s[row][col] = m[row + theRow][col + theCol] ;
        }
    }
    return s;
}

```

## Question 6 [25]


- In this question, you will create a class **Experiment** that represents a record of some sort of scientific experiment. In order to verify that the results of an experiment are repeatable, there is a class **Trial** that contains the results from one run of an experiment. An experiment will then include a number of **Trial** objects.
- The class **Trial** stores a result that was measured during an experiment, and the duration that the experiment took, measured in milliseconds. The class **Trial** has already been implemented. A UML class diagram for the class **Trial** is as follows:

## Question 6 [25]

- In this question, you will create a class `Experiment` that represents a record of some sort of scientific experiment.
- In order to verify that the results of an experiment are repeatable, there is a class `Trial` that contains the results from one run of an experiment. An experiment will then include a number of `Trial` objects.

## Question 6

- The class `Trial` stores a result that was measured during an experiment, and the duration that the experiment took, measured in milliseconds. The class `Trial` has already been implemented. A UML class diagram for the class `Trial` is as follows:



## Question 6

- In the rest of this question, you will fill in the methods for `Experiment`. Your `Experiment` class should provide four public methods and/or constructors that would permit the following class `TestExperiment` to execute:

```
class TestExperiment
{
    public static void main (String[] args)
    {
        Experiment anExperiment;
        anExperiment = new Experiment( 2 );
        anExperiment.addTrial( new Trial( 99.1, 10000 ) );
        anExperiment.addTrial( new Trial( 97.1, 11000 ) );
        anExperiment.addTrial( new Trial( 94.1, 12000 ) );
        Experiment.setPredictedResult( 98.6 );
        anExperiment.print();
    }
}
```

- Executing `main()` would result in the following being printed on the screen :

```
No more trials can be added to the experiment.
Trial 0: Result 99.1, duration 10000 (within 0.5 of prediction)
Trial 1: Result 97.1, duration 11000 (within 1.5 of prediction)
```

## Question 6

```
class Experiment
{
    // FIELD DECLARATION(S): (4 marks)

    // CONSTRUCTOR: (5 marks)
    // Takes one integer parameter representing the maximum
    // number of trials that can be put into the experiment
```

## Question 6

```
class Experiment
{
    // FIELD DECLARATION(S): (4 marks)

    private Trial[] trials;
    private int numTrials;
    private static double prediction;

    // CONSTRUCTOR: (5 marks)
    // Takes one integer parameter representing the maximum
    // number of trials that can be put into the experiment

    public Experiment( int maxTrials )
    {
        trials = new Trial[maxTrials];
        numTrials = 0;
    }
}
```

## Question 6

```
// METHOD setPredictedResult: (4 marks)
// Method parameters: a double that is the predicted result
// of the experiment.
// RESULT: none
```

## Question 6

```
// METHOD setPredictedResult: (4 marks)
// Method parameters: a double that is the predicted result
// of the experiment.
// RESULT: none

public static void setPredictedResult( double newPrediction )
{
    prediction = newPrediction;
}
```

## Question 6

```
// MODIFIER METHOD addTrial: (6 marks)
// Method parameters: a Trial object that should be added to the Experiment.
// Results: will print a message if the experiment has no room to store
// additional trials (see sample output for message format)
// Modified: the Experiment object
```

## Question 6

```
// MODIFIER METHOD addTrial: (6 marks)
// Method parameters: a Trial object that should be added to the Experiment.
// Results: will print a message if the experiment has no room to store
// additional trials (see sample output for message format)
// Modified: the Experiment object

public void addTrial( Trial newTrial )
{
    if ( numTrials >= trials.length )
    {
        System.out.println("No more trials can be added to the experiment.");
    }
    else
    {
        trials[numTrials] = newTrial;
        numTrials = numTrials + 1;
    }
}
```

## Question 6

```
// METHOD print: (6 marks)
// Method parameters: (none)
// Returns: (none)
// This method prints the result and duration of each trial, along with
// the absolute value of the difference from the predicted result.
// See the TestExperiment sample output for exact format.
```

## Question 6

```
// METHOD print: (6 marks)
// Method parameters: (none)
// Returns: (none)
// This method prints the result and duration of each trial, along with
// the absolute value of the difference from the predicted result.
// See the TestExperiment sample output for exact format.

public void print( Trial newTrial )
{
    int index;
    double aResult;
    double difference;
    for ( index = 0; index < numTrials; index = index + 1 )
    {
        aResult = trials[index].getResult();
        difference = Math.abs( aResult - prediction );
        System.out.print("Trial " + index + ": " );
        System.out.print("Result " + aResult + ", " );
        System.out.print("Duration " + trials[index].getDuration() + ", " );
        System.out.println("(within " + difference + " of prediction)" );
    }
}
```

## Question 7 [10]

Binary search - to be discussed in lecture